



## MULTI TREE CLIMBER – X5

**STEP 1** – As per the Diagram Assemble the Top and Bottom Frame

**STEP 2** – Wear the **Safety Harness**

(Which is a Must one)

\*\*Now follow these instructions to Fix the Climber to the Tree and to Start Climbing.

(1) Bottom Frame



Press the **Nob** (Rope Holding Clamp) and remove the Steel Wire Rope from the Bottom Frame

**STEP 3**



As Shown in the Picture now fix the other end of the Steel Wire rope in the appropriate fixtures.

**STEP 4**



Ensure that the **Steel Wire Rope** is locked properly in the Rope Holding Clamp.

**STEP 5**



Now Fix the **TOP Frame** just above the Bottom Frame as Shown in the Picture.



## MULTI TREE CLIMBER – X5

### STEP 6



Now Attach the **Link Belt** (Fix it in Top Frame) which connects both the Frames as Shown in the Picture.

### STEP 7



As shown in the Picture now Stand on the Bottom Frame and Just **Lift the Top Frame** using both Hands and Place it at a certain level.

### STEP 8



Now sit on the Sitting Frame / Seat in the Top Frame and **Connect your Safety Harness** in the appropriate fixtures in the Top Frame. Ensure it is Locked properly.

### STEP 9



Place your Foot in between the **Rubber Cushions** and Lift it to a certain height as required and then apply down force to lock it.



### STEP 10



To **Adjust** the Girth / Circumference of the Tree Pull the Lever in the **Rope Holding Clamp** (Both Frames) and move Forward / Backward for Adjustments then release the lever.

\* Repeat **Steps 7 & 9** to Climb.



### Climbing Down:

- (1) Sit comfortably on the Top Frame and Loosen your foot along with the Frame to a certain level downwards for descending the tree.
- (2) Now stand on the Bottom Frame and then bring down the Top Frame using both hands simultaneously to a certain level downwards. Repeat these steps to climb down the tree safely.

